

INTERFERENCE SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	1	(press\$3 near50 open near50 end near50 section near50 first near50 hole near50 second near50 against near50 wire).clm.	US-PGPU B	OR	ON	2005/10/28 09:48
L52	1	(second near50 tool near50 gradual\$2 near50 narrow\$3 near50 taper). clm.	US-PGPU B	OR	ON	2005/10/28 10:01
L64	1	(wire and bond\$3 and hole same gradual\$2 same taper).clm.	US-PGPU B	OR	ON	2005/10/28 10:07
L33	2	(wire and bond\$3 and (first or second)and hole and cut\$4 and taper).clm.	US-PGPU B	OR	ON	2005/10/28 09:43
L39	2	(wire near50 bond\$3 near50 hav\$4 near50 gradual\$3 near50 narrow\$3 taper near50 through near50 first near50 tool).clm.	US-PGPU B	OR	ON	2005/10/28 09:52
L35	2	(wire near50 pass\$3 near50 through near50 first near50 hole near50 protrud\$3 near50 outside). clm.	US-PGPU B	OR	ON	2005/10/28 09:46

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	1	(wire near50 bond) and first near50 second near50 hole near50 dispos\$3 near20 above near20 open near20 section	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:43
L34	1	(wire near50 cut\$4 near50 adjacent near50 open near50 section near50 second near50 hole).clm.	US-PGPU B	OR	ON	2005/10/28 09:44
L16	4	(wire near50 bond) and first near50 second near50 hole near50 (capillary or tool or head) near50 cut\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:45
S2	6	((("4020543") or ("4976392") or ("5285949") or ("6156990") or ("4513190") or ("4586642"))).PN.	USPAT; USOCR	OR	OFF	2005/10/27 16:10
L20	11	("4583676" "4998002"). PN. OR ("5370300"). URP.N.	US-PGPU B; USPAT; USOCR	OR	ON	2005/10/28 08:04
L21	24	(wire near50 bond\$3) near50 tool near50 first near50 second near50 cut\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 08:12

L18	31	(wire near50 bond\$3) near50 capillary near50 first near50 second near50 hole	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:53
L12	33	9 and wire near50 bond\$3 and (first or second) and (tool or capillary or head) near50 taper and ultrasonic	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:38
L19	51	(wire near50 bond\$3) near50 capillary near50 first near50 second near50 cut\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 08:08
L17	80	(wire near50 bond) and first near50 second near50 (capillary or tool or head) near50 cut\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:49
L7	201	228/55.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:13

L23	262	22 and wire near5 bond\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 09:33
S1	747	228/180.5.ccls.	US-PGPU B; USPAT	OR	ON	2005/10/28 07:10
L8	877	228/110.1.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:13
L3	933	228/180.5.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:13
L4	967	228/1.1.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:13
L6	1066	228/51.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:13

L5	1364	228/4.5.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:13
L9	4405	3 or 4 or 5 or 6 or 7 or 8	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/28 07:14